

ddt\_details.log

```
[19:16:14]..executing DimitraVC14
[19:16:14]..using lock semaphore: '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\Dimitra.lck'
[19:16:14]..
Verifizierung: Es wird die Signatur der Datei: 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB\DimitraData.XML' ueberprueft.
    Die Datei besitzt eine .sig2-Datei.
    Es handelt sich um eine korrekte, extern verwendbare Datei.
    Die Datei hat eine korrekte Signatur.
[19:16:14]..BEGIN parsing file 'C:\PROGRAM FILES (X86)\DATEV\PROGRAMM\EODB\DimitraData.XML'
[19:16:14]....using state file
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\DimitraDataState.XML'
[19:16:14]..END (Dauer:0 sec) parsing, RC: 0x00000000
[19:16:14]..BEGIN execution
[19:16:14]....14 adapters found in 'C:\PROGRAM FILES (X86)\DATEV\PROGRAMM\DIMITRA'
[19:16:14]....BEGIN migrations
[19:16:14].....BEGIN variables
[19:16:14].....BEGIN configdb
[19:16:14].....calling adapter: 'configdb'
[19:16:14].....'compid' = 'K0005200'
[19:16:14].....'variable' = 'EODB_KONFIGPATH'
[19:16:14].....'operation' = 'getconfigpath'
[19:16:14].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:14].....BEGIN configdb
[19:16:14].....calling adapter: 'configdb'
[19:16:14].....'compid' = 'K0005200'
[19:16:14].....'variable' = 'EODB_PROGPATH'
[19:16:14].....'operation' = 'getprogbath'
[19:16:14].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:14].....BEGIN adapter
[19:16:14].....1 adapters found in 'C:\PROGRAM FILES (X86)\DATEV\PROGRAMM\EODB'
[19:16:14].....END (Dauer:0 sec) adapter RC: 0x00000000
[19:16:14].....BEGIN configdb
[19:16:14].....calling adapter: 'configdb'
[19:16:14].....'variable' = 'DATEV_SYSTEM'
[19:16:14].....'operation' = 'getdatevsystem'
[19:16:14].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:14].....BEGIN env path
[19:16:14].....END (Dauer:0 sec) env path RC: 0x00000000
[19:16:14].....BEGIN variable EODB_DATAPATH
[19:16:14].....END (Dauer:0 sec) variable EODB_DATAPATH RC: 0x00000000
[19:16:14].....BEGIN variable EODB_DATABASE
[19:16:14].....END (Dauer:0 sec) variable EODB_DATABASE RC: 0x00000000
[19:16:14].....BEGIN variable EODB_LOGIN
[19:16:14].....END (Dauer:0 sec) variable EODB_LOGIN RC: 0x00000000
```

```

                                ddt_details.log
[19:16:14].....BEGIN variable EODB_GRUPA_XML
[19:16:14].....END (Dauer:0 sec) variable EODB_GRUPA_XML RC: 0x00000000
[19:16:14].....BEGIN configdb
[19:16:14].....calling adapter: 'configdb'
[19:16:14].....'keypath' =
'SOFTWARE\DATEVeG\Components\K0005200\Versions\1.0\AdditionalInfos\EODB'
[19:16:14].....'variable' = 'EODB_DBMainVersion'
[19:16:14].....'basepath' = 'HKEY_LOCAL_MACHINE'
[19:16:14].....'operation' = 'getentry'
[19:16:14].....'entry' = 'MainVersion'
[19:16:14].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:14].....BEGIN configdb
[19:16:14].....calling adapter: 'configdb'
[19:16:14].....'keypath' =
'SOFTWARE\DATEVeG\Components\K0005200\Versions\1.0\AdditionalInfos\EODB'
[19:16:14].....'variable' = 'EODB_DBSubVersion'
[19:16:14].....'basepath' = 'HKEY_LOCAL_MACHINE'
[19:16:14].....'operation' = 'getentry'
[19:16:14].....'entry' = 'SubVersion'
[19:16:14].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:14].....END (Dauer:0 sec) variables RC: 0x00000000
[19:16:14].....BEGIN migration EODB 10.5 1
[19:16:14].....BEGIN steps
[19:16:14].....BEGIN message
[19:16:14].....calling adapter: 'message'
[19:16:14].....'text' = 'actualizing datapath
\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD from PC-DATEV01 for component K0005200 in
category Data'
[19:16:14].....actualizing datapath \\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD from
PC-DATEV01 for component K0005200 in category Data
[19:16:14].....END (Dauer:0 sec) message RC: 0x00000000
[19:16:14].....BEGIN step get list of components to transform
[19:16:14].....BEGIN eodb
[19:16:14].....calling adapter: 'eodb'
[19:16:14].....'datapath' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:15].....'operation' = 'eodb_getcomponents'
[19:16:15].....enter eodb_getcomponents...
[19:16:20].....DB: K0005004 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\K0005004\DATA\STANDARD
[19:16:20].....DB: K0005200 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD
[19:16:20].....DB: K0005213 v.9.2 Build 1
[19:16:20].....DB: K0005222 v.9.2 Build 1
[19:16:20].....elapsed      5.183 seconds
[19:16:20].....pCompColl.CreateInstance : elapsed      0.001 seconds
[19:16:20].....CDB: K0005213 v.10.5 Build 1 (elapsed      0.001 seconds)
[19:16:20].....CDB: K0005222 v.10.5 Build 1 (elapsed      0.001 seconds)

```

ddt\_details.log

```
[19:16:20].....pCompColl.init(CDBC_FI_VersionOnly) : elapsed      0.204 seconds
[19:16:20].....CDB: K0005004 v.10.5 Build 1 (elapsed      0.001 seconds)
[19:16:20].....CDB: K0005200 v.10.5 Build 1 (elapsed      0.001 seconds)
[19:16:20].....pCompColl.init(CDBC_FI_DataAndVersion) : elapsed      0.128 seconds
[19:16:20].....elapsed      0.333 seconds
[19:16:20].....GetComponents: vor GetListFromCDBList
[19:16:20].....GetComponents: nach GetListFromCDBList
[19:16:20].....set variable EODB_LIST1 to value K0005222 for transformation
[19:16:20].....set variable EODB_LIST2 to value K0005200 for transformation
[19:16:20].....set variable EODB_LIST3 to value K0005213 for transformation
[19:16:20].....set variable EODB_LIST4 to value K0005004 for transformation
[19:16:20].....finished. 4 variables created
[19:16:20].....END (Dauer:6 sec) eodb RC: 0x00000000
[19:16:20].....END (Dauer:6 sec) step get list of components to transform RC: 0x00000000
[19:16:20].....BEGIN for
[19:16:20].....BEGIN variable EODB_KEY
[19:16:20].....END (Dauer:0 sec) variable EODB_KEY RC: 0x00000000
[19:16:20].....BEGIN step call export script for EODB_LIST1
[19:16:20].....BEGIN eodb
[19:16:20].....calling adapter: 'eodb'
[19:16:20].....'datapath' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:20].....'operation' = 'eodb_getdetails'
[19:16:20].....'key' = 'EODB_LIST1'
[19:16:20].....'mode' = 'export'
[19:16:20].....enter eodb_details...
[19:16:20].....DB: K0005004 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\K0005004\DATA\STANDARD
[19:16:20].....DB: K0005200 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD
[19:16:20].....DB: K0005213 v.9.2 Build 1
[19:16:20].....DB: K0005222 v.9.2 Build 1
[19:16:20].....elapsed      0.240 seconds
[19:16:20].....pCompColl.CreateInstance : elapsed      0.000 seconds
[19:16:21].....CDB: K0005213 v.10.5 Build 1 (elapsed      0.004 seconds)
[19:16:21].....CDB: K0005222 v.10.5 Build 1 (elapsed      0.004 seconds)
[19:16:21].....pCompColl.init(CDBC_FI_VersionOnly) : elapsed      0.194 seconds
[19:16:21].....CDB: K0005004 v.10.5 Build 1 (elapsed      0.004 seconds)
[19:16:21].....CDB: K0005200 v.10.5 Build 1 (elapsed      0.002 seconds)
[19:16:21].....pCompColl.init(CDBC_FI_DataAndVersion) : elapsed      0.132 seconds
[19:16:21].....elapsed      0.327 seconds
[19:16:21].....Using component K0005222 in main version 1.0
[19:16:21].....END (Dauer:1 sec) eodb RC: 0x00000000
[19:16:21].....BEGIN if
[19:16:21].....expression ' ne ' result is: 'false'
```

ddt\_details.log

```
[19:16:21].....END (Dauer:0 sec) if RC: 0x00000000
[19:16:21].....END (Dauer:1 sec) step call export script for EODB_LIST1 RC: 0x00000000
[19:16:21].....BEGIN variable EODB_KEY
[19:16:21].....END (Dauer:0 sec) variable EODB_KEY RC: 0x00000000
[19:16:21].....BEGIN step call export script for EODB_LIST2
[19:16:21].....BEGIN eodb
[19:16:21].....calling adapter: 'eodb'
[19:16:21].....'datapath' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:21].....'operation' = 'eodb_getdetails'
[19:16:21].....'key' = 'EODB_LIST2'
[19:16:21].....'mode' = 'export'
[19:16:21].....enter eodb_details...
[19:16:21].....DB: K0005004 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\K0005004\DATA\STANDARD
[19:16:21].....DB: K0005200 v.9.2 Build 1
\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD
[19:16:21].....DB: K0005213 v.9.2 Build 1
[19:16:21].....DB: K0005222 v.9.2 Build 1
[19:16:21].....elapsed      0.237 seconds
[19:16:21].....pCompColl.CreateInstance : elapsed      0.000 seconds
[19:16:21].....CDB: K0005213 v.10.5 Build 1 (elapsed      0.003 seconds)
[19:16:21].....CDB: K0005222 v.10.5 Build 1 (elapsed      0.004 seconds)
[19:16:21].....pCompColl.init(CDBC_FI_VersionOnly) : elapsed      0.191 seconds
[19:16:21].....CDB: K0005004 v.10.5 Build 1 (elapsed      0.003 seconds)
[19:16:21].....CDB: K0005200 v.10.5 Build 1 (elapsed      0.002 seconds)
[19:16:21].....pCompColl.init(CDBC_FI_DataAndVersion) : elapsed      0.135 seconds
[19:16:21].....elapsed      0.327 seconds
[19:16:21].....Using component K0005200 in main version 1.0
[19:16:21].....Datacategory from DB: DATA
[19:16:21].....Using datapath from DB:
\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD
[19:16:22].....END (Dauer:1 sec) eodb RC: 0x00000000
[19:16:22].....BEGIN if
[19:16:22].....expression 'C:\PROGRAM FILES (X86)\DATEV\PROGRAMM\EODB\DimitraExport.xml
ne' result is: 'true'
[19:16:22].....BEGIN eodb
[19:16:22].....calling adapter: 'eodb'
[19:16:22].....'datapath' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:22].....'variable' = 'UNC_DIMITRA_DATAPATH'
[19:16:22].....'operation' = 'eodb_getuncname'
[19:16:22].....enter eodb_getuncpath for
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:22].....converted to '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:22].....END (Dauer:0 sec) eodb RC: 0x00000000
[19:16:22].....BEGIN if
```

```

                                ddt_details.log
[19:16:22].....expression '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD ne '
result is: 'true'
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'variable' = 'PATHEXIST'
[19:16:22].....'operation' = 'exist'
[19:16:22].....'file' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'
[19:16:22].....file exist '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD' '1'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN if
[19:16:22].....expression '1 ne 1' result is: 'false'
[19:16:22].....END (Dauer:0 sec) if RC: 0x00000000
[19:16:22].....BEGIN include
[19:16:22].....
Verifizierung: Es wird die Signatur der Datei: 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB\DimitraExport.xml' ueberprueft.
    Die Datei besitzt eine .sig2-Datei.
    Es handelt sich um eine korrekte, extern verwendbare Datei.
    Die Datei hat eine korrekte Signatur.
[19:16:22].....variable_scope = local
[19:16:22].....BEGIN parsing file 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB\DimitraExport.xml'
[19:16:22].....END (Dauer:0 sec) parsing, RC: 0x00000000
[19:16:22].....BEGIN execution
[19:16:22].....BEGIN migrations
[19:16:22].....BEGIN variables
[19:16:22].....BEGIN variable DB_TEMPLATE_MDF
[19:16:22].....END (Dauer:0 sec) variable DB_TEMPLATE_MDF RC: 0x00000000
[19:16:22].....BEGIN variable DB_TEMPLATE_LDF
[19:16:22].....END (Dauer:0 sec) variable DB_TEMPLATE_LDF RC: 0x00000000
[19:16:22].....BEGIN configdb
[19:16:22].....calling adapter: 'configdb'
[19:16:22].....'compid' = 'K0005200'
[19:16:22].....'variable' = 'K0005200_KONFIGPATH'
[19:16:22].....'operation' = 'getconfigpath'
[19:16:22].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:22].....BEGIN configdb
[19:16:22].....calling adapter: 'configdb'
[19:16:22].....'compid' = 'K0005200'
[19:16:22].....'variable' = 'K0005200_PROGPATH'
[19:16:22].....'operation' = 'getprogpath'
[19:16:22].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:22].....BEGIN adapter
[19:16:22].....1 adapters found in 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB'

```

```

                                ddt_details.log
[19:16:22].....END (Dauer:0 sec) adapter RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) variables RC: 0x00000000
[19:16:22].....BEGIN migration K0005200 Export 10.5 1
[19:16:22].....BEGIN steps
[19:16:22].....BEGIN step copy initial EO database if necessary
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'variable' = 'FILEEXIST'
[19:16:22].....'operation' = 'exist'
[19:16:22].....'file' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\EODB.MDF'
[19:16:22].....file exist
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\EODB.MDF' '1'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN if
[19:16:22].....expression '1 ne 1' result is: 'false'
[19:16:22].....END (Dauer:0 sec) if RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) step copy initial EO database if necessary
RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) steps RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) migration K0005200 Export 10.5 1 RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) migrations RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) execution, RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) include RC: 0x00000000
[19:16:22].....BEGIN step update active datapath for K0005200
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'value' = 'K0005200'
[19:16:22].....'operation' = 'setini'
[19:16:22].....'key' = 'CompId'
[19:16:22].....'section' = 'ExportedTo'
[19:16:22].....'file' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\CDBINFO.INI'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'value' = 'Data'
[19:16:22].....'operation' = 'setini'
[19:16:22].....'key' = 'DataCategory'
[19:16:22].....'section' = 'ExportedTo'
[19:16:22].....'file' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\CDBINFO.INI'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'value' = '\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD'

```

ddt\_details.log

```
[19:16:22].....'operation' = 'setini'
[19:16:22].....'key' = 'DataPath'
[19:16:22].....'section' = 'ExportedTo'
[19:16:22].....'file' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\CDBINFO.INI'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN file
[19:16:22].....calling adapter: 'file'
[19:16:22].....'variable' = 'FILEEXIST'
[19:16:22].....'operation' = 'exist'
[19:16:22].....'file' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\EODB.MDF'
[19:16:22].....file exist
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\EODB.MDF' '1'
[19:16:22].....END (Dauer:0 sec) file RC: 0x00000000
[19:16:22].....BEGIN if
[19:16:22].....expression '1 eq 1' result is: 'true'
[19:16:22].....BEGIN include
[19:16:22].....
Verifizierung: Es wird die Signatur der Datei: 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB\DimitraGrupa.xml' ueberprueft.
    Die Datei besitzt eine .sig2-Datei.
    Es handelt sich um eine korrekte, extern verwendbare Datei.
    Die Datei hat eine korrekte Signatur.
[19:16:22].....variable_scope = local
[19:16:22].....BEGIN parsing file 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\EODB\DimitraGrupa.xml'
[19:16:22].....END (Dauer:0 sec) parsing, RC: 0x00000000
[19:16:22].....BEGIN execution
[19:16:22].....BEGIN migrations
[19:16:22].....BEGIN variables
[19:16:22].....BEGIN configdb
[19:16:22].....calling adapter: 'configdb'
[19:16:22].....'compid' = 'K0005200'
[19:16:22].....'variable' = 'K0005200_KONFIGPATH'
[19:16:22].....'operation' = 'getconfigpath'
[19:16:22].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:22].....BEGIN configdb
[19:16:22].....calling adapter: 'configdb'
[19:16:22].....'variable' = 'dbmstoolsdir'
[19:16:22].....'compid' = 'B0001315'
[19:16:22].....'operation' = 'getprogpah'
[19:16:22].....END (Dauer:0 sec) configdb RC: 0x00000000
[19:16:22].....END (Dauer:0 sec) variables RC: 0x00000000
[19:16:22].....BEGIN migration EODB GruPa 10.5 1
```

```

                                ddt_details.log
[19:16:22].....BEGIN steps
[19:16:22].....BEGIN step transformation of database for K0005200
[19:16:22].....BEGIN msdbmake
[19:16:22].....calling adapter: 'msdbmake'
[19:16:22].....'subst_dbmstoolsdir' = 'C:\PROGRAM FILES
(X86)\DATEV\PROGRAMM\DBMSTOOL'
[19:16:22].....'trafo' = 'true'
[19:16:22].....'exclusive_lock' = 'false'
[19:16:22].....'subst_konfigpath' = 'C:\PROGRAM FILES
(X86)\DATEV\KONFIG\EODB'
[19:16:22].....'dbm_file' = 'C:\PROGRAM FILES
(X86)\DATEV\KONFIG\EODB\EODB_GruPa.xdbm'
[19:16:22].....'db_pathname' =
'\\BT-SERVER\WINDVSW1\DATEV\DATEN\EODB\DATA\STANDARD\EODB.MDF'
[19:16:22].....'db_grupa' = 'true'
[19:16:38].....*error* MSDBmake Error: [0] Beim Aufruf einer Methode
ist ein Fehler aufgetreten (SqlBatchOperation, 0)
[19:16:38].....END (Dauer:16 sec) msdbmake RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) step transformation of database for
K0005200 RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) steps RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) migration EODB GruPa 10.5 1 RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) migrations RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) execution, RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) include RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) if RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) step update active datapath for K0005200 RC:
0x80004005
[19:16:38].....END (Dauer:16 sec) if RC: 0x80004005
[19:16:38].....END (Dauer:16 sec) if RC: 0x80004005
[19:16:38].....END (Dauer:17 sec) step call export script for EODB_LIST2 RC: 0x80004005
[19:16:38].....END (Dauer:18 sec) for RC: 0x80004005
[19:16:38].....END (Dauer:24 sec) steps RC: 0x80004005
[19:16:38].....END (Dauer:24 sec) migration EODB 10.5 1 RC: 0x80004005
[19:16:38]....END (Dauer:24 sec) migrations RC: 0x80004005
[19:16:38]..END (Dauer:24 sec) execution, RC: 0x80004005

```